28 North Bennett, Suite C Geneva, Illinois 60134 Phone (630) 232-3824 Fax (630) 232-3856

## TECHNICAL DATA SHEET FRA-318

75my (3 mil) Clear Polyester S1S

## **Product Construction**



Medium Release Silicone 75my Clear Polyester

PROPERTY	UNIT OF MEASURE	TYPICAL VALUE
Film Thickness	Microns	75.0 ± 5%
Specific Weight	g/cm³	1.40
Color		Clear
Tensile Strength – md	kg/mm²	19.0 ± 20%
Tensile Strength – td	kg/mm²	19.0 ± 20%
Elongation at Break – md	%	60 - 150
Elongation at Break – td	%	60 - 150
Shrinkage – md	%	< 2
Shrinkage – td	%	< 2
Width Tolerance	mm	> 100 ± 2
Release	g/in	75 ± 25
Subsequent Adhesion Force	%	> 80

The technical information in this form does not absolve the customer or end user from carrying out its own testing and sampling, particularly in respect of face/adhesive/liner interactions used in manufacturing and aging.